

Clematis

Clematis (*Ranunculaceae*)

A genus which includes many species and varieties with different characteristics regarding vigour, flowering period, size of flowers, foliage and growing requirements.

Large-flowered Hybrids

Deciduous, sarmentose, twining plants which cling spontaneously to stakes but if grown against a wall require a support. Basically they are underbrush plants and therefore require loose soil rich in humus. It is vital for the roots to be cool and in the shade, while the rest of the plant should be in full sun. Apart from the very hot and dry regions in Italy, Clematis grow well and flower splendidly in many mountain, hilly, seaside and flat areas. We offer varieties which flower from June to September-October.



“Ernest Markham”

Crimson pink.

“General Sikorski”

Bluish-violet.



Clematis



"Jackmanii"

Blue-violet.

"Lazurstern"

Lavender Blue.



Clematis



“Mme Le Coultre”

White.

“Nelly Moser”

Pink with lilac stripes.



Clematis



"Niobe"

Velvet Red.

"Rouge Cardinal"

Cardinal Red.



Clematis



"Sympatia"

Pink-lilac with pink stripes.

"Ville de Lyon"

Crimson Red.



Clematis



"Vyvyan Pennel"

Double, mauve blue.

Clematis with small-clustered flowers

Much more vigorous and easier to grow than the previously described plants. Deciduous leaves 5-10cm long, divided into three, vivid green, lanceolate segments. The flowers are smaller, 5-6cm in diameter with four petals and a showy central tuft of yellow stamens. They open on the previous years growth and are so numerous that they cover the whole plant. Flowering occurs from April to May.

Clematis



montana "Broughton Star"

Double bright pink flowers, 4-5 cm diameter,
May-June. Highly indented leaves

montana "Grandiflora"

White Flowers.



Clematis



montana "Rubens"

Pink flowers.

montana "Tetrarose"

Dark pink flowers.



Clematis

Clematis: varietà particolari (o speciali)



armandii

Strong, evergreen climbing plant with beautiful, dark green, leathery leaves, 12-15cm long. Blooms at the beginning of spring in axillary flower heads which open into fragrant, white, cup-shaped flowers, 5cm wide. Flowering occurs on the previous years shoots. Requires fertile, well-drained soil.

“Mme Julia Correvon”

From June to September covered with numerous little scarlet flowers.



Clematis



tangutica

From midsummer to the end of autumn produces lots of single, yellow bell-shaped flowers which are followed by downy, long-lasting, rather decorative capsules.

tibetana "Orange Peel" (orientalis "Orange Peel")

Finely-cut, beautifully ferny foliage. From mid-June to September-October produces lots of yellow, bell-shaped flowers, 5-6 cm wide, slightly perfumed, followed by decorative capsules.

